



US008399445B2

(12) **United States Patent**
Pavliv

(10) **Patent No.:** **US 8,399,445 B2**
(45) **Date of Patent:** **Mar. 19, 2013**

- (54) **ACETYL CYSTEINE COMPOSITION AND USES THEREOF**
(75) Inventor: **Leo Pavliv**, Cary, NC (US)
(73) Assignee: **Cumberland Pharmaceuticals, Inc.**,
Nashville, TN (US)
(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 0 days.
(21) Appl. No.: **13/406,175**
(22) Filed: **Feb. 27, 2012**
(65) **Prior Publication Data**

US 2012/0309832 A1 Dec. 6, 2012

- Related U.S. Application Data**
(62) Division of application No. 11/209,804, filed on Aug.
24, 2005, now Pat. No. 8,148,356.
(51) **Int. Cl.**
A61K 31/33 (2006.01)
(52) **U.S. Cl.** **514/183**
(58) **Field of Classification Search** 514/183
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,849,452 A	7/1989	Dulce et al.
5,114,974 A	5/1992	Rubin
5,124,351 A	6/1992	Rabinovitz et al.
5,206,269 A	4/1993	Ludwig et al.
5,272,166 A	12/1993	Breslow et al.
5,354,748 A	10/1994	Sugita et al.
5,441,748 A	8/1995	Moyiyasu
5,474,757 A	12/1995	Yang
5,691,380 A	11/1997	Mason et al.
5,700,653 A	12/1997	Lu et al.
5,807,894 A	9/1998	Stroppolo et al.
5,882,688 A	3/1999	Alonso et al.
6,103,748 A	8/2000	Bryan
6,114,387 A	9/2000	Cutler
6,149,891 A	11/2000	Korenstein et al.
6,281,222 B1	8/2001	Salzman et al.
6,355,682 B1	3/2002	Weinberg
6,468,965 B1	10/2002	Cutler
6,566,401 B2	5/2003	Herzenberg et al.
2001/0031737 A1	10/2001	Richardson et al.
2002/0002146 A1	1/2002	Halevie-Goldman
2002/0025310 A1	2/2002	Bland
2002/0031513 A1	3/2002	Leibovitz
2003/0176359 A1	9/2003	Neuwelt et al.
2004/0022873 A1	2/2004	Guilford et al.
2007/0049640 A1	3/2007	Pavliv

FOREIGN PATENT DOCUMENTS

AU	2006282030	3/2008
AU	2011202871	6/2011
CA	821525	8/1969
CA	2526208	12/2004
CA	2619441	2/2008
CN	200680030443.9	2/2008
CN	201110165261.5	6/2011
EP	0639375	2/1995
EP	2006771456	11/2008
FR	2788436	7/2000
GR	1002731	7/1997
HK	08113428.7	12/2008
JP	7309746	11/1995
JP	2008527905	2/2008

KR	10-2008-7006611	3/2008
NZ	566100	2/2008
NZ	591574	3/2011
PH	12008500349	2/2008
SG	200801568-7	2/2008
SG	201006138-0	8/2010
VN	2008-00711	3/2008
VN	1-2011-03099	11/2011
WO	WO0180832	11/2001
WO	WO03011249	2/2003
WO	WO2007024311	3/2007

OTHER PUBLICATIONS

Parry, "Effect of N-acetylcysteine on antibiotic activity and bacterial growth in vitro," Journal of Clinical Microbiology, 1977, 5(1): 58-61.
van Laar, "The role of EDTA in provoking allergic reactions to subcutaneous infusion of apomorphine in patients with Parkinson's disease: a histologic study," Movement Disorders, 1998, 13(1):52-55.

Acetadote® (Acetylcysteine) Injection Package Insert (NDA 21-539/S-004).

March, Advanced Organic Chemistry; Reactions, Mechanisms, and Structure, Wiley Interscience, 3rd Ed., 1985, p. 1092.

Dribbon, W.H., et al., "Stability and Microbiology of Inhalant NAcetylcysteine Used as an Intravenous Solution for the Treatment of Acetaminophen Poisoning," Ann Emerg. Med., 2003, 42:9-13.

FDA, "Guidance for Industry Q1A(R2) Stability Testing of New Drug Substances and Products" (2003).

"Airbron," DTB 1966 4: 4.

Rock, "Citizen Petition" (May 18, 2012).

Center for Drug Evaluation and Research, "Chemistry Review NDA 21-539 Acetadote (Acetylcysteine) Injection," Jan. 9, 2003.

Ahola T, Fellman V, Laaksonen R, et al. Pharmacokinetics of intravenous Nacetylcysteine in pre-term new-born infants. Eur J Clin Pham 1999;55:645-50.

Beckett GJ, Donovan JW, Hussey AJ, Proudfoot AT, Prescott LF. Intravenous Nacetylcysteine, hepatotoxicity and plasma glutathione S-transferase in patients with paracetamol overdosage. Hum Exp Toxicol 1990;9(3): 183-6.

Boesgaard S, Iverson HK, Wroblewski H, et al. Altered peripheral vasodilator profile of nitroglycerin during long-term infusion of N-acetylcysteine. J Amer College Cardio 1994;23:163-9.

Bergstrom L, Kagedal B, Paulsen O. Pharmacokinetics of N-acetylcysteine in man. Eur J Clin Pharmacol 1986;31 (2):217-22.

Bergstrom L, Kagedal B. Dose dependent pharmacokinetics of N-acetylcysteine after oral dosing to man. Biopharm Drug Dispos 1990;11:131-36.

DeCaro L, Ghizzi A, Costa R, et al. Pharmacokinetics and Bioavailability of oral acetylcysteine in healthy volunteers. Arzneimittelforschung 1989;39:382-6.

(Continued)

Primary Examiner — Brandon Fetterolf

Assistant Examiner — Christopher R Stone

(74) *Attorney, Agent, or Firm* — Stites & Harbison PLLC;
Richard S. Myers, Jr.

(57) **ABSTRACT**

This invention relates to novel acetylcysteine compositions in solution, comprising acetylcysteine and which are substantially free of metal chelating agents, such as EDTA. Further, this invention relates to methods of making and using the acetylcysteine compositions. The present compositions and methods are designed to improve patient tolerance and compliance, while at the same time maintaining the stability of the pharmaceutical formulation. The compositions and methods of this invention are useful in the treatment of acetaminophen overdose, acute liver failure, various cancers, methacrylonitrile poisoning, reperfusion injury during cardio bypass surgery, and radiocontrast-induced nephropathy, and can also be used as a mucolytic agent.

16 Claims, No Drawings